

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
15 May 2003 (15.05.2003)

PCT

(10) International Publication Number
WO 03/039527 A1

- (51) International Patent Classification⁷: **A61K 31/155**, 9/22
- (74) Common Representative: **RANBAXY LABORATORIES LIMITED**; 600 College Road East, Suite 2100, Princeton, NJ 08540 (US).
- (21) International Application Number: PCT/IB02/04647
- (22) International Filing Date:
6 November 2002 (06.11.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
1134/DEL/2001 6 November 2001 (06.11.2001) IN
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant (*for all designated States except US*): **RANBAXY LABORATORIES LIMITED** [IN/IN]; 19, Nehru Place, 110 019 New Delhi, Delhi (IN).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **CHAWLA, Manish** [IN/IN]; 106, Lal Jyoti Apartments, Sector - 9, Plot 16, 110085 Rohini, Delhi (IN). **RAGHUVANSHI, Rajeev, S.** [IN/IN]; Flat No. 8131, Block: D-8, Vasant Kunj, 110070 New Delhi, Delhi (IN). **RAMPAL, Ashok** [IN/IN]; 14, Sewa Nagar, Ram Tirath Road, 143001 Amritsar, Punjab (IN).
- Published:**
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: CONTROLLED RELEASE TABLETS OF METFORMIN

(57) Abstract: Controlled-release metformin and processes for their preparation, using a combination of non-ionic and anionic hydrophilic polymers, wherein the total hydrophilic polymer concentration is at least about 16% by weight of the composition.



WO 03/039527 A1

CONTROLLED RELEASE TABLETS OF METFORMIN

Cross Reference to Related Application

This application claims the benefit of Indian Patent Application No.
 5 1134/DEL/2001, filed November 6, 2001


Field of the Invention

The present invention relates to controlled release tablets of metformin, and processes for their preparation.


Background

10 Controlled drug delivery applications include both sustained / extended delivery and targeted delivery on a one-time or sustained basis. Controlled release formulations can be used to reduce the amount of drug necessary to cause the same therapeutic effect in patients. The convenience of fewer and more effective doses also increases patient compliance.

15 Metformin, is an oral anti-hyperglycemic drug used in the management of non-insulin dependent diabetes mellitus (type 2-diabetes). Metformin is a dimethyl biguanide having the formula:



The pharmaceutically acceptable salts of the formula



30 in which A is the anion of the non-toxic salt are the preferred medicaments. It is estimated that 60 percent of patients with type 2 diabetes who receive oral therapy are currently required to take doses of multiple pills several times a day in order to manage this
 35 condition. Controlled release formulation would help these patients to better control their blood sugar by making it easier to comply with their daily treatment regimen.

Metformin is a high dose drug and has poor compressibility. Therefore, the tendency of capping is particularly high during the production of tablets. It is the problem

of tableting such poorly compressible active matter, and especially those which are clinically prescribed at high dose levels that has led many workers to employ different processes to prepare controlled release formulations.

For example, Lipha (Technical Information Glucophage® August 1991,
5 “Bundesverband der Pharmazeutischen Industrie e. v.”, Publ. Note Liste 1993, Edition Cantor, Aulendorf 1993) discloses use of framework-forming auxiliary substances such as polyvinyl acetate as retarding agents in the preparation of metformin delayed release tablets for improving the compressibility. The disadvantage of using such framework
10 forming auxiliary substance is that they have to be processed with organic solvents. These organic solvents are not just expensive in comparison to water, but are also difficult to remove completely and therefore may lead to residual solvent in such preparations.

United States Patent No. 6,117,451 provides a direct tableting, free flowing particulate metformin hydrochloride formulation in the form of tableting powder, capable
15 of being directly compressed into a tablet having adequate hardness. This formulation employs specific particle size and density range excipients to improve the flow and compressibility characteristics. Use of these excipients not only adds to the cost but also makes the process cumbersome.

PCT patent application WO 99/47128 describes a method for preparing a biphasic controlled-release metformin tablet. This granulation provides the desired extended
20 release and tackles the problem of capping but may result in segregation of granules / particles due to different particle sizes and densities during compression. Content uniformity can be difficult to achieve. Moreover, the large number of processing steps and more processing time can lead to high manufacturing costs.

United States Patent No. 5,955,106 discloses a pharmaceutical composition
25 comprising metformin and method of producing the composition wherein the composition has a residual moisture content of about 0.5 to 3% by weight, which is disclosed as critical to avoid capping of tablets.

Summary

The inventors have here addressed particular drawbacks and problems associated
30 with the currently available technologies and provide a simple, cost effective and efficient delivery system for controlled-release metformin on a commercial scale. These objectives have been achieved by using a combination of non-ionic and anionic hydrophilic polymers, wherein the total hydrophilic polymer concentration is at least about 16% by weight of the composition.

In one aspect, controlled release tablets of metformin are disclosed which include hydrophilic polymers consisting of anionic and nonionic polymers in ratios of about 1:1 to about 1:5, and optionally other excipients, wherein at least about 16% by weight of the composition is the hydrophilic polymer. Certain embodiments have water contents of less than about 6.0%, for example, between about 3.2% and about 6.0%

In another aspect, a process is disclosed herein which comprises dry blending metformin with hydrophilic polymers consisting of anionic and nonionic polymers in a ratio 1:1 to 1:5, and optionally other excipients, granulating the blend, drying and sizing the granules, and compressing to make tablets, wherein at least about 16% by weight of the composition is the hydrophilic polymer.

Unless otherwise defined, all technical and scientific terms used herein have the same ordinary meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, suitable methods and materials are described below. All publications, patent applications, patents, and other references mentioned herein are incorporated by reference in their entirety. In case of conflict, the present specification, including definitions, will control. In addition, the materials, methods, and examples are illustrative only and not intended to be limiting.

Other features and advantages of the invention will be apparent from the following detailed description, and from the claims.

Detailed Description

In the present invention anionic and nonionic hydrophilic polymers are selected from different molecular weight sodium carboxymethylcellulose and hydroxypropyl methylcellulose, respectively.

Nonionic hydrophilic polymers can include hydroxypropyl methylcellulose with average molecular weights in the range of from about 180,000 to about 250,000, preferably about 215,000 with a degree of methoxy substitution ranging from about 19 to about 24% and hydroxypropyl molar substitution ranging from about 7 to about 12%.

Anionic hydrophilic polymers can include sodium carboxymethylcellulose, for example, with a viscosity in the range of from about 400 to about 800 cps.

Metformin is soluble in water and therefore the release of the drug from a matrix system can take place through diffusion. Therefore, controlled-release of metformin can

include high viscosity polymers in the matrix system. Combination of hydroxypropyl methylcellulose and sodium carboxymethylcellulose results in rheological synergism whereby the resultant viscosity is higher than the arithmetic mean. Although the release mechanism is not limited by any particular mechanistic postulates, it is believed that a strong hydrogen bond-induced cross-linking can take place between the carboxylic group of sodium carboxymethylcellulose and the hydroxyl group of the hydroxypropyl methylcellulose.

Combination of hydroxypropyl methylcellulose with an average molecular weight in the range of from about 180,000 to about 250,000 with a methoxy degree of substitution ranging from 19 to 24% and hydroxypropyl molar substitution ranging from about 7 to about 12%, with sodium carboxymethylcellulose with a viscosity in the range of from about 400 to about 800 cps as hydrophilic polymer can be used in a mixture with metformin to give a mixture with excellent compressibility. Tablets prepared from such mixtures are hard with acceptably low friability values. Moreover, tablets produced therefrom exhibit extended release in aqueous solutions, for example, buffered solution with pH of about 6.8, of up to 12 hrs.

In addition to such polymers, the instant formulations may contain other excipients, which act in one or more capacities as, for example, diluents, binders, lubricants, glidants, colorants or flavoring agents. Diluent can not only improve the flow and compressibility characteristics of the blend, but may also aid in solving the problem of capping. However, as metformin is a high dosage drug, addition of diluent is in some cases desirable, but not necessary. If required, materials such as lactose, microcrystalline cellulose, starch, calcium hydrogen phosphate, sucrose and mannitol and the like may be used as diluent. Microcrystalline cellulose can be preferred for some particular embodiments.

Binders can be used to impart cohesiveness to the blend and also improve the flow and hardness. The polymers disclosed above could impart such properties themselves. However, excipients such as various starches, sugars, gums, low molecular weight hydroxypropyl methylcellulose and hydroxypropylcellulose may also be used as binders.

Lubricants could be used, such as those selected from talc, magnesium stearate, calcium stearate, polyethylene glycol, hydrogenated vegetable oils, stearic acid, sodium stearyl fumarate and sodium benzoate.

Glidants could also be added, such as for example, colloidal silicon dioxide (aerosil) or talc.

The Process Steps

Particular embodiments include the steps of

- 5 (a) dry blending metformin with hydrophilic polymers, such as those including hydroxypropyl methylcellulose, for example, that with average molecular weights in the range of about 180,000 to about 250,000, for example, about 215,000 with a degree of methoxy substitution ranging from about 19 to about 24% and hydroxypropyl molar substitution ranging from about 7 to about 12% and polymers such as sodium carboxymethylcellulose, for example, those with
10 a viscosity in the range of from about 400 to about 800 cps, in the ratio of from about 1:1 to about 1:5, and optionally other excipients wherein at least about 16% by weight of the composition is the hydrophilic polymer;
- (b) granulating the blend of step (a);
- (c) drying and sizing the granules; and
- 15 (d) compressing the granules.

The tablets can be optionally coated using the standard coating processes. For example, it may be coated with a thin layer of a rapidly dissolving water soluble polymer or pharmaceutical excipient. In cases where a polymeric coating is required, a low molecular weight, low viscosity polymer is the preferred material. Examples of water
20 soluble pharmaceutical excipients include lactose, sucrose, dextrose, mannitol, xylitol, and the like. In a preferred embodiment of the present invention, the water soluble excipient used as a coating is lactose. The tablets may be coated to a weight build-up of from about 1% to about 4%, preferably, from about 1% to about 2%. The coating also helps in masking any bitter taste associated with the drug.

25 The dry blend of metformin could be prepared with hydrophilic polymer(s): hydroxypropyl methylcellulose and sodium carboxymethylcellulose, and optionally other excipients. The powder blend may be sifted through a screen of suitable fineness to remove or break up lumps. This screening also affords additional mixing. For large quantities of powder, twin shell blenders, double cone blenders, planetary mixers or the
30 like may be used.

The blend could be wet granulated with water or with an aqueous dispersion of the binder. For granulation, water or an aqueous dispersion of the binder can be added to the blend while mixing. The powder mass is typically wetted with water or the binding solution until the mass has a suitable consistency. The wet mass is forced through 8 or 10-

mesh screen, however for large quantities comminuting mills suitable for wet screening may be used.

Wet granules can be dried in trays or in fluidized bed dryer. In a drying step, a residual amount of moisture may be maintained in the granulation, to maintain the various granulation ingredients, such as the polymers, in a hydrated state. Also, residual moisture content can contribute to the reduction of static electric charge on the particles. The stability of the product containing moisture sensitive active ingredients may be related to the moisture content of the product. Residual moisture content of the granules can be less than about 6.0%. Residual moisture content of the granules can be between about 3.5 and about 6.0% by weight in some embodiments.

After drying, the granules are reduced in particle size, for example, by passing through a small mesh screen. After sizing, the granules can be lubricated and compressed to form tablets.

The invention will be further described in the following examples, which demonstrate general synthetic procedures, as well as specific preparations of some preferred formulations. The examples do not limit the scope of the invention described in the claims.

EXAMPLES

In the examples, metformin tablets were prepared by processes described herein using hydrophilic polymers in a concentration of at least about 16% by weight of the composition which consists of 10-20% of hydroxypropyl methylcellulose with an average molecular weight in the range of 180,000 to 250,000, with a methoxy degree of substitution ranging from about 19 to about 24% and hydroxypropyl molar substitution ranging from about 7 to about 12% and from about 3 to about 10% sodium carboxymethylcellulose with a viscosity in the range of from about 400 to about 800 cps. Compositions of the tablets of Examples 1-6 are tabulated in Table 1. The sodium carboxymethylcellulose used in this particular example had viscosity of from about 400 to about 800 cps. The hydroxypropyl methylcellulose used in this example had an average molecular weight in the range of from about 180,000 to about 250,000, with a methoxy degree of substitution ranging from about 19 to about 24% and hydroxypropyl molar substitution ranging from about 7 to about 12%.

Table 1: Composition of Tablets of Examples 1-6

Ingredient	% w/w per Tablet					
	Ex. 1	Ex. 2	Ex. 3	Ex. 4	Ex. 5	Ex. 6
Metformin hydrochloride	68.0	73.0	69.0	72.7	68.0	49.5
Sodium carboxymethylcellulose	4.0	3.6	6.9	7.3	8.0	9.9
Hydroxypropyl methylcellulose**	12.0	12.7	12.4	12.7	12.0	18.8
Binder	1.6	1.8	1.7	1.8	1.6	1.5
Diluent	13.2	7.3	8.6	4.1	9.2	19.3
Lubricant	0.6	0.7	0.7	0.7	0.6	0.5
Glidant	0.6	0.7	0.7	0.7	0.6	0.5

The tablets were prepared by the following process:

1. Mix metformin with sodium carboxymethylcellulose, hydroxypropyl methylcellulose
5 and diluent.
2. Granulate with a sufficient quantity of a solution of binder in water.
3. Pass the wet mass through a # 10 BSS and dry in a fluidized bed dryer at about 60°C.
4. Pass the dry-mass through a # 22 BSS, lubricate and compress into capsule shaped
tablets.

10

Table 2 provides the *in-vitro* release profile of the controlled release tablets of metformin prepared by the composition and process of examples (1-6) in phosphate buffer pH 6.8 (900 ml), USP 2 at 50 rpm. The dissolution methodology for tablets consist of USP 2 with 10 mesh baskets being used as sinkers. Tablets are kept in the sinkers to
15 prevent floating or sticking to the bottom. Paddle height is adjusted to 4.5 cm from the

bottom of the vessel to prevent any hinderance to paddle rotation. 900 ml of the media is used (phosphate buffer pH 6.8) with a paddle rotation being maintained at 50 rpm.

The percent drug released was measured by techniques known to those of ordinary skill in the art for quantitative determination of drug present in solution, for example, by HPLC or reverse HPLC.

Table 2. Release profile of the controlled release tablets of metformin prepared as per Examples 1-6 in Phosphate buffer pH 6.8 (900 ml), USP 2 at 50 rpm.

Time (hr)	% drug released					
	Ex. 1	Ex. 2	Ex. 3	Ex. 4	Ex. 5	Ex. 6
0.5	22	20	-	19	22	23
1.0	32	27	38	27	32	31
2.0	48	38	54	38	46	45
4.0	64	58	74	59	65	60
6.0	74	69	88	69	78	72
8.0	83	81	98	80	84	83
10.0	90	88	101	87	91	90
12.0	92	95	104	96	96	92

OTHER EMBODIMENTS

It is to be understood that while the invention has been described in conjunction with the detailed description thereof, the foregoing description is intended to illustrate and not limit the scope of the invention, which is defined by the scope of the appended claims.

Other aspects, advantages, and modifications are within the scope of the following claims.

We Claim:

1. Controlled-release metformin tablets comprising:
metformin; and
5 hydrophilic polymers comprising anionic and nonionic polymers in a ratio of about 1:1
to about 1:5, wherein at least about 16% by weight of the composition is the
hydrophilic polymer.
2. The tablets of claim 1, wherein anionic polymer is sodium carboxymethylcellulose.
10
3. The tablets of claim 2, wherein sodium carboxymethylcellulose has a viscosity of from
about 400 to about 800cps.
4. The tablets of claim 2, wherein the concentration of sodium carboxymethylcellulose is
15 from about 3 to about 10% by weight of the composition.
5. The tablets of claim 1 wherein nonionic polymer is hydroxypropyl methylcellulose.
6. The tablets of claim 5 wherein nonionic polymer is hydroxypropyl methylcellulose
20 with an average molecular weight in the range of from about 180,000 to about
250,000, with a degree of methoxy substitution ranging from about 19 to about 24%
and hydroxypropyl molar substitution ranging from about 7 to about 12%.
7. The tablets of claim 6 wherein hydroxypropyl methylcellulose has an average
25 molecular weight of about 215,000.
8. The tablets of claim 5 wherein the concentration of hydroxypropyl methylcellulose is
from about 10 to about 20% by weight of the composition.
- 30 9. The tablets of claim 1 further comprising excipients selected from diluents, binders,
lubricants and glidants.
10. A process for the preparation of controlled release tablets of metformin, comprising
the steps;

- a) dry blending metformin with hydrophilic polymers comprising anionic and nonionic polymers in a ratio of about 1:1 to about 1:5, wherein at least about 16% by weight of the composition is the hydrophilic polymer;
- b) granulating the blend;
- 5 c) drying and sizing the granules; and
- d) compressing the granules to make tablets.
11. The process according to claim 10 wherein anionic polymer is sodium carboxymethylcellulose.
- 10 12. The process according to claim 11 wherein sodium carboxymethylcellulose has a viscosity of from about 400 to about 800cps.
13. The process according to claim 12 wherein the concentration of sodium carboxymethylcellulose is from about 3 to about 10% by weight of the composition.
- 15 14. The process according to claim 10 wherein nonionic polymer is hydroxypropyl methylcellulose.
- 20 15. The process of claim 14 wherein nonionic polymer is hydroxypropyl methylcellulose with an average molecular weight in the range of from about 180,000 to about 250,000, with a degree of methoxy substitution ranging from about 19 to about 24% and hydroxypropyl molar substitution ranging from about 7 to about 12%.
- 25 16. The process of claim 15 wherein hydroxypropyl methylcellulose has an average molecular weight of about 215,000.
17. The process according to claim 14 wherein the concentration of hydroxypropyl methylcellulose is from about 10 to about 20% by weight of the composition.
- 30 18. The process according to claim 10 further comprising excipients selected from diluents, binders, lubricants and glidants.

19. The process according to claim 10 wherein the granulation is done with aqueous or non-aqueous solvents or dispersion of the binder.
20. The process according to claim 19 wherein the non-aqueous solvent is isopropyl
5 alcohol.
21. The process according to claim 10 wherein the step c) granules are dried to a residual moisture content of between about 3.5 to about 6.0% by weight.
- 10 22. The process according to claim 10 wherein the tablet produced has an extended release up to about 12 hours.

INTERNATIONAL SEARCH REPORT

Internal Application No

PCT/IB 02/04647

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61K31/155 A61K9/22

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EP0-Internal, WPI Data, PAJ, MEDLINE, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 47128 A (SQUIBB BRISTOL MYERS CO) 23 September 1999 (1999-09-23) cited in the application page 19, line 20 -page 20, line 15 example 3 claims 1,4,11,13 ----	1-22
A	US 6 117 451 A (KUMAR VIJAI) 12 September 2000 (2000-09-12) cited in the application column 8, line 51 - line 61 Claims column 9, line 55 - line 59 ----- -/--	1-22

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

° Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

* & * document member of the same patent family

Date of the actual completion of the international search

3 February 2003

Date of mailing of the international search report

14/02/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Collura, A

INTERNATIONAL SEARCH REPORT

Internat .pplication No
PCT/IB 02/04647

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO 02 28181 A (TEWARI PRASHANT KUMAR ;USV LTD (IN); GIDWANI SURESH KUMAR (IN); SI) 11 April 2002 (2002-04-11) page 5, line 15 -page 6, line 17 example 1 ---	10,19,20
A	WO 00 38655 A (ALLAN JAMIE ;ALZA CORP (US); EDGREN DAVID (US); WONG PATRICK (US);) 6 July 2000 (2000-07-06) examples 6,9,10 -----	1-22

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IB 02/04647

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9947128	A	23-09-1999	AU 736951 B2	09-08-2001
			AU 3182899 A	11-10-1999
			BR 9908911 A	02-10-2001
			CA 2320900 A1	23-09-1999
			CN 1295467 T	16-05-2001
			EP 1063973 A1	03-01-2001
			JP 2002506812 T	05-03-2002
			WO 9947128 A1	23-09-1999
			US 6475521 B1	05-11-2002

US 6117451	A	12-09-2000	NONE	

WO 0228181	A	11-04-2002	WO 0228181 A1	11-04-2002
			AU 7308500 A	15-04-2002

WO 0038655	A	06-07-2000	AU 1881600 A	31-07-2000
			CA 2355860 A1	06-07-2000
			EP 1140027 A1	10-10-2001
			WO 0038655 A1	06-07-2000
			JP 2002533380 T	08-10-2002
			US 2002086055 A1	04-07-2002
			US 6342249 B1	29-01-2002
